



## Paraffinöle - Technische Qualitäten -

Type: Pionier	Farbe ASTM	Dichte	Flammpunkt COC	Pour Point	Viskosität mm <sup>2</sup> /s	Strukturanalyse		
	ASTM D 156 ASTM D 6045	DIN 51757 method 3 ASTM D 4052	DIN EN ISO 2592 ASTM D 92	ASTM D 5985	DIN EN ISO 3104 ASTM D 445	DIN 51 378 ASTM D 2140		
Technisch		15 °C	°C	°C	40 °C	CA%	CN%	CP%
PIONIER 7467	< 0,5	0,822	125	- 12	3,8	0	37	63
PIONIER 7321	< 0,5	0,858	165	- 18	8,5	0	45	65
PIONIER 7916	< 0,5	0,875	145	- 60	8,6	1	51	48
PIONIER 7878	< 0,5	0,884	169	- 54	14,0	2	48	50
PIONIER 2016 N	< 0,5	0,866	> 170	- 12	16,0	1	41	58
PIONIER 2003	< 0,5	0,857	196	- 12	17,0	0	36	64
PIONIER 1618	< 0,5	0,87	242	< -6	70,0	0	34	66